

Datasheet for ABIN801597

anti-Cytokeratin 18 antibody (pSer60) (HRP)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Cytokeratin 18 (KRT18)
Binding Specificity:	pSer60
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Cytokeratin 18 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic phosphopeptide derived from human CK18 around the phosphorylation site of Ser60 [MG(p-S)GG]
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	Cytokeratin 18 (KRT18)
Alternative Name:	CK18 (KRT18 Products)

Target Details

Background:	Synonyms: Cytokeratin 18 phospho S60, p-Cytokeratin 18 phospho S60, Cell proliferation inducing gene 46 protein, Cell proliferation inducing protein 46, Cell proliferation-inducing gene 46 protein, CK 18, CK-18, CK18, CYK 18, CYK18, Cytokeratin 18, Cytokeratin endo B, Cytokeratin-18, Cytokeratin18, K 18, K18, K1C18_HUMAN, Keratin 18, Keratin D, Keratin type I cytoskeletal 18, keratin, type I cytoskeletal 18, Keratin-18, Keratin18, Kerd, KRT18. Background: KRT18 encodes the type I intermediate filament chain keratin 18. Keratin 18, together with its filament partner keratin 8, are perhaps the most commonly found members of the intermediate filament gene family. They are expressed in single layer epithelial tissues of the body. Mutations in this gene have been linked to cryptogenic cirrhosis. Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq].
Gene ID:	3875
Pathways:	Apoptosis, Caspase Cascade in Apoptosis

Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months