antibodies -online.com







anti-CLASP2 antibody (AA 1201-1294)



\sim			
	N/P	r\/I	i⊢₩

Quantity:	100 μL
Target:	CLASP2
Binding Specificity:	AA 1201-1294
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLASP2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CLASP2
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Pig,Horse
Purification:	Purified by Protein A.
Target Details	

l arget Details

Target:	CLASP2
Alternative Name:	CLASP2 (CLASP2 Products)

Target Details

Background:	Synonyms: CLASP 2, CLIP associating protein 2, Cytoplasmic linker associated protein 2,	
	hOrbit2, KIAA0627, Multiple asters Mast like homolog 2, Protein Orbit homolog 2,	
	CLAP2_HUMAN.	
	Background: CLASP2 is a microtubule plus end tracking protein that promotes the stabilization	
	of dynamic microtubules and is required for the polarization of the cytoplasmic microtubule arrays in migrating cells towards the leading edge of the cell. CLASP2 may act at the cell cortex to enhance the frequency of rescue of depolymerizing microtubules by attaching their plus	
	ends to cortical platforms composed of ERC1 and PHLDB2. This cortical microtubule	
	stabilizing activity is regulated at least in part by phosphatidylinositol 3 kinase signaling.	
	CLASP2 also performs a similar stabilizing function at the kinetochore which is essential for the	
	bipolar alignment of chromosomes on the mitotic spindle.	
Gene ID:	23122	
Pathways:	Microtubule Dynamics, Maintenance of Protein Location	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months