# antibodies -online.com





Datasheet for ABIN872418

## anti-INSRR antibody (AA 801-900)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	INSRR
Binding Specificity:	AA 801-900
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This INSRR antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Insulin receptor-related protein beta chain
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

#### **Target Details**

Target: INSRR
---------------

#### Target Details

Alternative Name:	INSRR (INSRR Products)	
Background:	Synonyms: INSRR, Insulin receptor related receptor precursor, IR related receptor, IRR, Sirr,	
	Insulin receptor-related protein, IR-related receptor, Insulin receptor-related protein beta chain,	
	INSRR_HUMAN.	
	Background: The insulin receptor related receptor (IRR) is a heterotetrameric transmembrane	
	receptor composed of two alpha and 2 beta chains linked by disulfide bonds. The alpha chains	
	contribute to the formation of the ligand-binding domain, while the beta chains carry the kinase	
	domain. Member of the insulin RTK family, IRR shares high homology with the insulin (IR) and	
	the insulin-like growth factor-1 receptor (IGF-1R), but doesn?t bind any of IR and IGF-1R known	
	ligands. In contrast to the widespread patterns of expression to IR and IGF-1R, IRR	
	demonstrates a very restricted cellular distribution in a subset of tissues of neuronal origin and	
	its biological functions are still unknown.	
Gene ID:	3645	
Pathways:	RTK Signaling	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

### Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months