antibodies -online.com







anti-SMC5 antibody (AA 251-350)



/ N	1	-	M	/ 1	01	A /
0	1//	\vdash	1 1	/ I	-	\/\/
\sim	٧.	\sim	ı ۱	/ I	\sim	v v

Quantity:	100 μL
Target:	SMC5
Binding Specificity:	AA 251-350
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SMC5 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SMC5
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	SMC5	

Target Details

rarget betano		
Alternative Name:	SMC5 (SMC5 Products)	
Background:	Synonyms: hSMC 5, hSMC5, SMC 5 SMC 5 structural maintenance of chromosomes 5 like 1	
	SMC5 L1 SMC5 protein SMC5 structural maintenance of chromosomes 5 like 1 SMC5L1	
	Structural maintenance of chromosomes 5 like 1 Structural maintenance of chromosomes	
	protein 5, SMC5_HUMAN.	
	Background: Structural Maintenance of Chromosomes (SMC) family proteins play critical roles	
	in various nuclear events that require structural changes of chromosomes, including mitotic	
	chromosome organization, DNA recombination and repair and global transcriptional repression	
	The chromosome proteins are conserved in eukaryotes lead to mitotic chromosome	
	segregation defects, suggesting a critical function of SMC family proteins in mitotic	
	chromosome dynamics.	
Gene ID:	23137	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months