antibodies - online.com







anti-CD163L1 antibody (AA 1001-1100)



Image



$\overline{}$			
()	V/P	r\/	i۵۱۸

Quantity:	100 μL
Target:	CD163L1
Binding Specificity:	AA 1001-1100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD163L1 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Target:

Alternative Name:

- Todaet Details	
Immunogen:	KLH conjugated synthetic peptide derived from human CD163L1
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.
Target Details	

CD163L1

CD163L1 (CD163L1 Products)

Target Details


Background:	Synonyms: M16, CD163B, Scavenger receptor cysteine-rich type 1 protein M16, CD163 antigen-
	like 1, CD163L1, UNQ6434/PR02322
	Background: This gene encodes a member of the scavenger receptor cysteine-rich (SRCR)
	superfamily. Members of this family are secreted or membrane-anchored proteins mainly
	found in cells associated with the immune system. The SRCR family is defined by a 100-110
	amino acid SRCR domain, which may mediate protein-protein interaction and ligand binding.
	The encoded protein contains twelve SRCR domains, a transmembrane region and a
	cytoplasmic domain. Alternative splicing results in multiple transcript variants encoding
	different isoforms. [provided by RefSeq, Jul 2014]
Gene ID:	283316
UniProt:	Q9NR16
Application Details	

Application Details

Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat brain tissue labeled with Anti-CD163L1 Polyclonal Antibody, Unconjugated at 1:200, followed by conjugation to the secondary antibody and DAB staining