# antibodies -online.com







# anti-RNF122 antibody (AA 71-155)

**Images** 



### Overview

Quantity:	100 μL
Target:	RNF122
Binding Specificity:	AA 71-155
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF122 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human RNF122
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	RNF122		

## **Target Details**

Alternative Name:	RNF122 (RNF122 Products)
Background:	Synonyms: RING finger protein 122, RNF122  Background: May induce necrosis and apoptosis. May play a role in cell viability.
Gene ID:	79845
UniProt:	Q9H9V4

## Application Details

Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



## **Immunohistochemistry**

**Image 1.** Formalin-fixed and paraffin embedded rat brain tissue labeled with Anti RNF122 Polyclonal Antibody, Unconjugated (ABIN872467) at 1:200 followed by conjugation to the secondary antibody and DAB staining



#### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 2.** Formalin-fixed and paraffin embedded rat colon labeled with Rabbit Anti-RNF122 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody and DAB staining