antibodies - online.com







anti-AKAP6 antibody (AA 1451-1650)



Overview

Quantity:	100 μL	
Target:	AKAP6 (Akap6)	
Binding Specificity:	AA 1451-1650	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This AKAP6 antibody is un-conjugated	
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human AKAP6	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Horse,Rabbit	
Purification:	Purified by Protein A.	
Target Details		

Target:	AKAP6 (Akap6)
Alternative Name:	AKAP6 (Akap6 Products)

Target Details

Storage Comment:

rarget Details		
Background:	Synonyms: A kinase PRKA anchor protein 6, A kinase anchor protein 100, A kinase anchor protein 100 kDa, A kinase anchor protein 6, ADAP 100, ADAP 6, ADAP100, ADAP6, AKAP 100, AKAP 6, AKAP100, Human A kinase anchor protein AKAP100, KIAA0311, mAKAP, PRKA 6, PRKA6, Protein kinase A anchoring protein 6, AKAP6_HUMAN. Background: The A Kinase Anchor proteins (AKAPs) are a group of structurally diverse proteins, which have the common function of binding to the regulatory subunit of protein kinase A (PKA) and confining the holoenzyme to discrete locations within the cell. AKAP6 is a member of the AKAP family. It is highly expressed in various brain regions and cardiac and skeletal muscle. It is specifically localized to the sarcoplasmic reticulum and nuclear membrane, and is involved in anchoring PKA to the nuclear membrane or sarcoplasmic reticulum.	
Gene ID:	9472	
Pathways:	cAMP Metabolic Process, Regulation of Muscle Cell Differentiation	
Application Details		
Application Notes:	ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

1 1		1111	
Н	an	all	no

Expiry Date:

12 months