

Datasheet for ABIN872657
anti-RYBP antibody (AA 31-130)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	RYBP
Binding Specificity:	AA 31-130
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RYBP antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RYBP
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	RYBP
---------	------

Target Details

Alternative Name: RYBP ([RYBP Products](#))

Background: Synonyms: AAP 1, AAP1, APAP 1, APAP-1, APAP1, Apoptin associating protein 1, Apoptin-associating protein 1, cb337, Death Effector Domain Associated Factor, Death effector domain-associated factor, Death effector domain-associated factor B, DED associated factor, DED-associated factor, DED-associated factor B, DEDAF, RING1 and YY1 binding protein a, RING1 and YY1 binding protein, RING1 and YY1-binding protein, RING1 and YY1-binding protein B, Ring1 interactor RYBP, RYBP, RYBP_HUMAN, rybpa, YEAF 1, YEAF1, YY1 and E4TF1 associated factor 1, YY1 and E4TF1-associated factor 1, YY1- and E4TF1/GABP-associated factor 1. Background: May be implicated in the regulation of the transcription as a repressor of the transcriptional activity of E4TF1. In tumor cell lines, may induce apoptosis.

Gene ID: 23429

Application Details

Application Notes: WB 1:300-5000
ELISA 1:500-1000
IHC-P 1:200-400
IHC-F 1:100-500
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Handling

Expiry Date: 12 months