antibodies .- online.com







anti-TNIP3 antibody (AA 51-150)



()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	TNIP3	
Binding Specificity:	AA 51-150	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TNIP3 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TNFAIP3 interacting protein 3/ABIN3
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Sheep
Purification:	Purified by Protein A.

Target Details

Target Details

Alternative News	TNE NEQ interacting protein 2 (TNIP2 Products)	
Alternative Name:	TNFAIP3 interacting protein 3 (TNIP3 Products)	
Background:	Synonyms: Listeria induced, A20-binding inhibitor of NF-kappa-B activation 3, ABIN-3, ABIN-3	
	beta, FLJ21162, LIND, Listeria induced gene protein, TNFAIP3 interacting protein 3, TNFAIP3-	
	interacting protein 3 beta, TNIP3, TNIP3 beta, TNIP3_HUMAN.	
	Background: ABIN-3 is a member of the A20-binding inhibitor of NF-kappaB activation (ABIN)	
	protein family. Similar to the previously characterized human ABINs (ABIN-1 and ABIN-2), ABIN	
	3 can bind to A20 and inhibit NF-kappaB activation. In contrast, mouse ABIN-3 is incapable of	
	inhibiting NF-kappaB activation by proinflammatory stimuli because the protein lacks a	
	complete ABIN homology domain, which is required for the funcitonal activity of human ABIN-3	
Gene ID:	7128	
Pathways:	Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	

1 1		1 .
ш		lina
	land	1111(

Expiry Date:

12 months