antibodies .- online.com







anti-CCDC51 antibody (AA 151-250)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	CCDC51	
Binding Specificity:	AA 151-250	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CCDC51 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CCDC51
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

rget:	CCDC51
	00200.

Target Details

Alternative Name:	CCDC51 (CCDC51 Products)		
Background:	Synonyms: CCD51_HUMAN, CCDC51, Coiled-coil domain-containing protein 51, FLJ12436,		
	RGD1311466, AI551049, 5730568A12Rik.		
	Background: The coiled-coil domain is a structural motif found in proteins that are involved in a		
	diverse array of biological functions such as the regulation of gene expression, cell division,		
	membrane fusion and drug extrusion and delivery. CCDC51 (coiled-coil domain containing 51)		
	is a 411 amino acid multi-pass membrane protein that exists as two alternatively spliced		
	isoforms. The gene encoding CCDC51 maps to human chromosome 3, which is made up of		
	about 214 million bases encoding over 1,100 genes. Notably, there is a chemokine receptor		
	gene cluster and a variety of human cancer related loci on chromosome 3. Particular regions o		
	the chromosome 3 short arm are deleted in many types of cancer cells. Key tumor suppressing		
	genes on chromosome 3 encode apoptosis mediator RASSF1, cell migration regulator HYAL1		
	and angiogenesis suppressor SEMA3B. Marfan Syndrome, porphyria, von Hippel-Lindau		
	syndrome, osteogenesis imperfecta and Charcot-Marie-Tooth Disease are a few of the		
	numerous genetic diseases associated with chromosome 3.		
Gene ID:	79714		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months	