antibodies -online.com





anti-BCL2L13 antibody (AA 281-380)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	BCL2L13
Binding Specificity:	AA 281-380
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BCL2L13 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Bcl rambo/Bcl 2 like 13 protein	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Dog,Pig,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

Target Details

|--|

Target Details		
Alternative Name:	Bcl 2 like 13 protein (BCL2L13 Products)	
Background:	Synonyms: Apoptosis facilitator, Bcl 2 like 13, Bcl 2 like 13 protein, BCL2 like 13 apoptosis	
	facilitator, BCL2 like 13, Bcl2 like 13 protein, BCL2L13, MIL 1, MIL1, MIL1 protein, Protein Mil1,	
	B2L13_HUMAN.	
	Background: Bcl rambo shares common structural characteristics with other members of the	
	anti-apoptotic Bcl2 family members, but differs from them at its C-terminus, where a 250 amino	
	acid sequence preceeds the membrane anchor region. It also differs from other pro-apoptotic	
	Bcl-2 family members in that its membrane anchor C-terminus region is responsible for its	
	apoptotic activity, not its Bcl-2 homology motifs. Bcl rambo may promote the activation of	
	caspase-3 and apoptosis.	
Gene ID:	23786	
UniProt:	Q9BXK5	
Pathways:	Positive Regulation of Endopeptidase Activity	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months