# antibodies - online.com







# anti-MC3R antibody (AA 131-230)





### Overview

Quantity:	100 μL
Target:	MC3R
Binding Specificity:	AA 131-230
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MC3R antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MC3 Receptor
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Cow
Purification:	Purified by Protein A.

## **Target Details**

|--|

## **Target Details**


Abstract:	MC3R Products
Background:	Synonyms: MC3, OB20, OQTL, BMIQ9, MC3-R, Melanocortin receptor 3, MC3R  Background: Receptor for MSH (alpha, beta and gamma) and ACTH. This receptor is mediated by G proteins which activate adenylate cyclase.
Gene ID:	4159
UniProt:	P41968
Pathways:	cAMP Metabolic Process

# Application Details

Restrictions:	For Research Use only
	IF(ICC) 1:50-200
	IF(IHC-F) 1:50-200
	IF(IHC-P) 1:50-200
	IHC-F 1:100-500
	IHC-P 1:200-400
	ELISA 1:500-1000
Application Notes:	WB 1:300-5000


# Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months




#### **ELISA**

**Image 1.** Antigen: 2  $\mu$ g/100  $\mu$ L Primary: Antiserum, 1:500, 1:1000, 1:2000, 1:4000, 1:8000, 1:16000, 1:32000; Secondary: HRP conjugated Rabbit Anti-Goat IgG at 1: 5000; TMB staining Read the data in Microplate Reader by 450nm.



#### **Immunohistochemistry**

**Image 2.** Formalin-fixed and paraffin embedded rat brain labeled with Anti-MMC3 Receptor/MC3-R Polyclonal Antibody, Unconjugated (ABIN872967) at 1:200 followed by conjugation to the secondary antibody and DAB staining.



### **Western Blotting**

**Image 3.** Mouse Cerebrum lysates probed with MC3 Receptor Polyclonal Antibody, unconjugated at 1:300 overnight at 4°C followed by a conjugated secondary antibody for 60 minutes at 37°C.

Please check the product details page for more images. Overall 4 images are available for ABIN872967.