antibodies -online.com







Overview

Quantity:	100 μL	
Target:	CLK2	
Binding Specificity:	AA 401-499	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CLK2 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CLK2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	

Target Details

Target:	CLK2		

Target Details

Target Details		
Alternative Name:	CLK2 (CLK2 Products)	
Background:	Synonyms: CDC like kinase 2, CLK 2, CLK kinase, Clk2 Scamp3, Dual specicity protein kinase	
	CLK2, hCLK 2, hCLK2, MGC61500, Tu52, CLK2_HUMAN.	
	Background: CDC-like kinase 2 (CLK2) belongs to a family of autophosphorylating kinases	
	termed CLK (CDC2/CDC28-like kinases), which have been shown to phosphorylate serine- and	
	arginine-rich (SR) proteins of the spliceosomal complex, and to influence alternative splicing in	
	overexpression systems. Recent findings demonstrated that the CLK kinases activate PTP-1B	
	family members, and this phosphatase may be an important cellular target for CLK action.	
	Mutations in the CLK2 proteins affect organismal features such as development, behavior,	
	reproduction, and aging as well as cellular features such as the cell cycle, apoptosis, the DNA	
	replication checkpoint, and telomere length.	
Gene ID:	1196	
Pathways:	Regulation of Carbohydrate Metabolic Process	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months