antibodies -online.com





Datasheet for ABIN873044

anti-GLP2R antibody (AA 51-150)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	GLP2R
Binding Specificity:	AA 51-150
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GLP2R antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GLP2R
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	GLP2R	

Target Details

Alternative Name:	GLP2R (GLP2R Products)	
Background:	Synonyms: GLP 2 R, GLP 2 receptor, GLP 2R, GLP-2 receptor, GLP-2-R, GLP-2R, GLP2 R, GLP2	
	Receptor, GLP2R, GLP2R_HUMAN, Glucagon Like Peptide 2 Receptor, Glucagon-like peptide 2	
	receptor.	
	Background: The GLP2 receptor (GLP2R) is a G protein-coupled receptor superfamily member	
	closely related to the glucagon receptor ans GLP1 receptor. Glucagon-like peptide-2 (GLP2) is a	
	33-amino acid proglucagon-derived peptide produced by intestinal enteroendocrine cells. Like	
	glucagon-like peptide-1 (GLP1) and glucagon itself, it is derived from the proglucagon peptide	
	encoded by the GCG gene. GLP2 stimulates intestinal growth and upregulates villus height in	
	the small intestine, concomitant with increased crypt cell proliferation and decreased	
	enterocyte apoptosis. Moreover, GLP2 prevents intestinal hypoplasia resulting from total	
	parenteral nutrition. GLP2R, a G protein-coupled receptor superfamily member is expressed in	
	the gut and closely related to the glucagon receptor (GCGR) and the receptor for GLP1 (GLP1R)	
	[provided by RefSeq, Jul 2008].	
Gene ID:	9340	
Pathways:	Positive Regulation of Peptide Hormone Secretion, Peptide Hormone Metabolism, cAMP	
	Metabolic Process, Feeding Behaviour	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	

Handling

Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months