antibodies -online.com





anti-CTNNBL1 antibody (AA 381-480)



Overview

Quantity:	100 μL
Target:	CTNNBL1
Binding Specificity:	AA 381-480
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTNNBL1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CTNNBL1/Beta catenin like 1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	CTNNBL1
Alternative Name:	CTNNBL1 (CTNNBL1 Products)

Target Details

Background:	Synonyms: Beta catenin like 1, Beta catenin like protein 1, Beta-catenin-like protein 1, C20orf33,		
	Catenin beta like 1, Chromosome 20 open reading frame 3, CTBL1_HUMAN, CTNNBL 1,		
	Ctnnbl1, NAP, Nuclear associated protein, nuclear protein NAP, Nuclear-associated protein,		
	NYD SP19, P14 antibody P14L, Testis development protein NYD SP19, Testis development		
	protein NYD-SP19.		
	Background: The protein encoded by this gene contains an acidic domain, a putative bipartite		
	nuclear localization signal, a nuclear export signal, a leucine-isoleucine zipper, and		
	phosphorylation motifs. In addition, the encoded protein contains Armadillo/beta-catenin-like		
	repeats, which have been implicated in protein-protein interactions. Although the function of		
	this protein has not been determined, the C-terminal portion of the protein has been shown to		
	possess apoptosis-inducing activity.		
Gene ID:	56259		
Pathways:	Production of Molecular Mediator of Immune Response		
Application Details			
Application Notes:	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months