antibodies -online.com





anti-SHoc2/Sur8 antibody (AA 36-120)



Overview

Quantity:	100 μL
Target:	SHoc2/Sur8 (SHOC2)
Binding Specificity:	AA 36-120
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SHoc2/Sur8 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SHOC2/Sur8
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Chicken
Purification:	Purified by Protein A.

Target Details

Target: SHoc2/Sur8 (SHOC2)

Target Details

Alternative Name:	SH0C2 (SH0C2 Products)
Background:	Synonyms: Leucine-rich repeat protein SHOC-2, Leucine-rich repeat protein SHOC-2, Ras-
	binding protein Sur-8, KIAA0862, Leucine-rich repeat protein SHOC-2, Protein soc-2 homolog,
	Protein Sur-8 homolog, SHOC2, SHOC2_HUMAN.
	Background: Regulatory subunit of protein phosphatase 1 (PP1c) that acts as a M-Ras/MRAS
	effector and participates in MAPK pathway activation. Upon M-Ras/MRAS activation, targets
	PP1c to specifically dephosphorylate the 'Ser-259' inhibitory site of RAF1 kinase and stimulate
	RAF1 activity at specialized signaling complexes. Involvement in disease: Defects in SHOC2 are
	the cause of Noonan syndrome-like with loose anagen hair (NSLAH) . NSLAH children display
	macrocephaly, high forehead, hypertelorism, palpebral ptosis, low-set and posteriorly rotated
	ears, short and webbed neck and pectus anomalies. Affected subjects also have easily
	pluckable, sparse, thin and slow-growing hair.
Gene ID:	8036
Application Details	
application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months