antibodies -online.com







anti-CCDC36 antibody (AA 131-230)



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	CCDC36	
Binding Specificity:	AA 131-230	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CCDC36 antibody is un-conjugated	
Application:	ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CCDC36/CT74	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Horse	
Purification:	Purified by Protein A.	
Tanak Dataila		

Target Details

Target:	CCDC36
Alternative Name:	CT74 (CCDC36 Products)

Target Details

Storage Comment:

rarget Details		
Background:	Synonyms: Cancer/testis antigen 74, CCD36_HUMAN, Ccdc36, Coiled-coil domain-containing	
	protein 36, CT74, FLJ25320.	
	Background: CCDC36, also known as CT74 (cancer/testis antigen 74), is a 584 amino acid	
	protein that contains coiled-coil domains and is expressed as three alternatively spliced	
	isoforms. The gene encoding CCDC36 maps to human chromosome 3, which houses over	
	1,100 genes, including a chemokine receptor (CKR) gene cluster and a variety of human cancer-	
	related gene loci. Key tumor suppressing genes on chromosome 3 include those that encode	
	the apoptosis mediator RASSF1, the cell migration regulator HYAL1 and the angiogenesis	
	suppressor SEMA3B. Marfan Syndrome, porphyria, von Hippel-Lindau syndrome, osteogenesis	
	imperfecta and Charcot-Marie-Tooth Disease are a few of the numerous genetic diseases	
	associated with chromosome 3.	
Gene ID:	339834	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Н	land	lına
	iaria	шц

Expiry Date:

12 months