antibodies -online.com





Datasheet for ABIN873155

anti-GIMAP8 antibody (AA 551-565)



Overview

Quantity:	100 μL
Target:	GIMAP8
Binding Specificity:	AA 551-565
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GIMAP8 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GIMAP8
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

|--|

Target Details

Alternative Name:	Gimap8 (GIMAP8 Products)		
Background:	Synonyms: GTPase IMAP family member 8, hIAN6, Human immune associated nucleotide 6,		
	IAN9, IANT, Immune associated nucleotide, Immune-associated nucleotide-binding protein 9,		
	Protein lanT, GIMA8_HUMAN.		
	Background: The GTPase of the immunity-associated protein (GIMAP) family of proteins		
	include seven members that are expressed by genes residing on human chromosome 7.		
	GIMAP proteins have been implicated in the regulation of lymphomyeloid cell survival. GIMAP8		
	also known as IAN9 (immune-associated nucleotide-binding protein 9) or IANT, is a 665 amino		
	acid protein that localizes to Golgi apparatus, Endoplasmic reticulum and mitochondria.		
	Suggested to have an anti-apoptotic effect on the immune system, GIMAP8 plays a role in		
	infection response and is encoded by a gene that maps to human chromosome 7q36.1.		
	Chromosome 7 houses over 1,000 genes, comprises nearly 5 % of the human genome and has		
	been linked to Osteogenesis imperfecta, Pendred syndrome, Lissencephaly, Citrullinemia and		
	Shwachman-Diamond syndrome.		
Gene ID:	155038		
UniProt:	Q8ND71		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months