antibodies .- online.com







anti-ALOXE3 antibody (AA 141-240)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	ALOXE3	
Binding Specificity:	AA 141-240	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ALOXE3 antibody is un-conjugated	
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ALOXE3
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.
Target Details	

Target:	ALOXE3
Alternative Name:	ALOXE3 (ALOXE3 Products)

Target Details

rarget Details		
Background:	Synonyms: ALOXE3, Arachidonate lipoxygenase 3, e LOX 3, E LOX, e-LOX-3, eLOX3, Epidermal	
	lipoxygenase, Epidermis-type lipoxygenase 3, Lipoxygenase 3, LOXE3_HUMAN.	
	Background: Introduces molecular oxygen into polyunsaturated fatty acids. Exact substrate is	
	not known. Tissue specificity: Predominantly expressed in skin. Involvement in disease Defects in	
	ALOXE3 are a cause of non-bullous congenital ichthyosiform erythroderma (NCIE). NCIE is a	
	non-bullous ichthyosis, a skin disorder characterized by abnormal cornification of the	
	epidermis. Most affected individuals are born with a tight, shiny, translucent covering called	
	collodion membrane. The collodion membrane subsequently evolves into generalized scaling	
	and intense redness of the skin. Clinical features are milder than in lamellar ichthyoses and	
	demonstrate a greater variability in the intensity of erythema, size and type of scales. In	
	contrast to lamellar ichthyoses, scales are usually white, fine and powdery, and palms and	
	soles are severely affected. Patients suffer from palmoplantar keratoderma, often with painful	
	fissures, digital contractures, and loss of pulp volume.	
Gene ID:	59344	
Pathways:	Cell-Cell Junction Organization	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	

handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months