

Datasheet for ABIN874448

anti-Phospholamban antibody (pSer16) (AbBy Fluor® 488)



Go to Product page

Overview	
Overview	
Quantity:	100 μL
Target:	Phospholamban (PLN)
Binding Specificity:	pSer16
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Phospholamban antibody is conjugated to AbBy Fluor® 488
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human Cardiac phospholamban
	around the phosphorylation site of Ser16
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	Phospholamban (PLN)

Target Details

Alternative Name:	PLB (PLN Products)	
Background:	Synonyms: Phospholamban phospho S16, p-Phospholamban phospho S16, p-PLBS16, Cardiac	
	phospholamban, CMD1P, PLB, PLN, PPLA_HUMAN.	
	Background: Defects in PLN are the cause of cardiomyopathy dilated type 1P (CMD1P) . Dilated	
	cardiomyopathy is a disorder characterized by ventricular dilation and impaired systolic	
	function, resulting in congestive heart failure and arrhythmia. Patients are at risk of premature	
	death.Defects in PLN are the cause of cardiomyopathy familial hypertrophic type 18 (CMH18).	
	CMH18 is a hereditary heart disorder characterized by ventricular hypertrophy, which is usually	
	asymmetric and often involves the interventricular septum. The symptoms include dyspnea,	
	syncope, collapse, palpitations, and chest pain. They can be readily provoked by exercise. The	
	disorder has inter- and intrafamilial variability ranging from benign to malignant forms with high	
	risk of cardiac failure and sudden cardiac death.	
Gene ID:	5350	
Pathways:	Negative Regulation of Transporter Activity	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months