

Datasheet for ABIN875976

anti-TCP1 alpha/CCTA antibody (pSer395) (AbBy Fluor® 555)



Overview

Overview	
Quantity:	100 μL
Target:	TCP1 alpha/CCTA (TCP1)
Binding Specificity:	pSer395
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TCP1 alpha/CCTA antibody is conjugated to AbBy Fluor® 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human p63 around the phosphorylation site of Ser395
Isotype:	lgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Sheep,Pig,Horse,Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	TCP1 alpha/CCTA (TCP1)

Target Details

Alternative Name:	P63 (TCP1 Products)
Background:	Synonyms: p63 phospho S395, p63 phospho Ser395, p-p63 Ser395, AIS, Amplied in squamous
	cell carcinoma, Bp51A, Bp51B, p63 Alpha, Chronic ulcerative stomatitis protein, CUSP, DN p63
	alpha 1, DNp63, EEC3, Keratinocyte transcription factor, Keratinocyte transcription factor KET,
	KET, LMS, NBP, OFC8, p40, p51, P51/P63, p53 like transcription factor, p53 related protein, p53
	related protein p63, p53CP, p63, P73, p73H, p73L, RHS, SHFM4, TP53CP, TP53L, TP63, TP73,
	TP73L, Transformation related protein 63, Trp53rp1, Trp63, Tumor protein 63, tumor protein 63
	kDa with strong homology to p53, Tumor protein p53-competing protein, Tumor protein p53-
	like, tumor protein p63, Tumor protein p73, tumor protein p73-like, P63_HUMAN.
	Background: This gene encodes a member of the p53 family of transcription factors. An anima
	model, p63 -/- mice, has been useful in defining the role this protein plays in the development
	and maintenance of stratified epithelial tissues. p63 -/- mice have several developmental
	defects which include the lack of limbs and other tissues, such as teeth and mammary glands,
	which develop as a result of interactions between mesenchyme and epithelium. Mutations in
	this gene are associated with ectodermal dysplasia, and cleft lip/palate syndrome 3 (EEC3),
	split-hand/foot malformation 4 (SHFM4), ankyloblepharon-ectodermal defects-cleft lip/palate,
	ADULT syndrome (acro-dermato-ungual-lacrimal-tooth), limb-mammary syndrome, Rap-
	Hodgkin syndrome (RHS), and orofacial cleft 8. Both alternative splicing and the use of
	alternative promoters results in multiple transcript variants encoding different proteins. Many
	transcripts encoding different proteins have been reported but the biological validity and the
	full-length nature of these variants have not been determined. [provided by RefSeq, Jul 2008].
Gene ID:	8626
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL

Handling

	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months