antibodies - online.com





anti-MARK4 antibody (pSer423) (Alexa Fluor 350)



Go to	D		
	Pron	ויאווו	Dage

Overview	
Quantity:	100 μL
Target:	MARK4
Binding Specificity:	pSer423
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MARK4 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human MARK4 around the phosphorylation site of Ser423.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Horse
Purification:	Purified by Protein A.
Target Details	
Target:	MARK4

Target Details

Synonyms: MARK4phospho 423, MARK 4, MARK-4, MARK 4L, MARK L1, MARK4, MARK4 serine
/ threonine protein kinase, MARK4 serine/threonine protein kinase, MARK4_HUMAN, MARKL 1,
MARKL1, MAP / microtubule affinity regulating kinase 4, MAP / microtubule affinity regulating
kinase 4L, MAP/microtubule affinity regulating kinase 4, MAP/microtubule affinity regulating
kinase like 1, MAP/microtubule affinity-regulating kinase 4, MAP/microtubule affinity-regulating
kinase-like 1, Putative protein product of Nbla00650, FLJ90097, KIAA1860, mKIAA1860.
Background: This gene encodes a member of the microtubule affinity-regulating kinase family.
These protein kinases phosphorylate microtubule-associated proteins and regulate the
transition between stable and dynamic microtubules. The encoded protein is associated with
the centrosome throughout mitosis and may be involved in cell cycle control. Expression of this
gene is a potential marker for cancer, and the encoded protein may also play a role in
Alzheimer's disease. Pseudogenes of this gene are located on both the short and long arm of
chromosome 3. Alternatively spliced transcript variants encoding multiple isoforms have been
observed for this gene. [provided by RefSeq, Dec 2010].
57787
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200
For Research Use only
Liquid
1 μg/μL
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
50 % Glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
handled by trained staff only.

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months