## antibodies .- online.com





## anti-MARK4 antibody (pSer423) (Alexa Fluor 647)



Overview	
Quantity:	100 μL
Target:	MARK4
Binding Specificity:	pSer423
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MARK4 antibody is conjugated to Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human MARK4 around the phosphorylation site of Ser423.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Horse
Purification:	Purified by Protein A.
Target Details	
Target:	MARK4

## **Target Details**

Alternative Name:	MARK4 (MARK4 Products)
Background:	Synonyms: MARK4phospho 423, MARK 4, MARK-4, MARK 4L, MARK L1, MARK4, MARK4 serine
	/ threonine protein kinase, MARK4 serine/threonine protein kinase, MARK4_HUMAN, MARKL 1,
	MARKL1, MAP / microtubule affinity regulating kinase 4, MAP / microtubule affinity regulating
	kinase 4L, MAP/microtubule affinity regulating kinase 4, MAP/microtubule affinity regulating
	kinase like 1, MAP/microtubule affinity-regulating kinase 4, MAP/microtubule affinity-regulating
	kinase-like 1, Putative protein product of Nbla00650, FLJ90097, KIAA1860, mKIAA1860.
	Background: This gene encodes a member of the microtubule affinity-regulating kinase family.
	These protein kinases phosphorylate microtubule-associated proteins and regulate the
	transition between stable and dynamic microtubules. The encoded protein is associated with
	the centrosome throughout mitosis and may be involved in cell cycle control. Expression of this
	gene is a potential marker for cancer, and the encoded protein may also play a role in
	Alzheimer's disease. Pseudogenes of this gene are located on both the short and long arm of
	chromosome 3. Alternatively spliced transcript variants encoding multiple isoforms have been
	observed for this gene. [provided by RefSeq, Dec 2010].
Gene ID:	57787
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months