

Datasheet for ABIN880953

Overview

Purification:

Target:

Target Details

Alternative Name:

anti-ABI1 antibody (AA 101-200) (AbBy Fluor® 350)

Purified by Protein A.

Abi1 (ABI1 Products)

ABI1



Quantity:	100 μL
Target:	ABI1
Binding Specificity:	AA 101-200
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ABI1 antibody is conjugated to AbBy Fluor® 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human ABI1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse, Dog, Horse, Chicken, Rabbit

Target Details

Background:	Synonyms: E3B1, ABI-1, ABLBP4, NAP1BP, SSH3BP, SSH3BP1, Abl interactor 1, Abelson
	interactor 1, Abl-binding protein 4, Eps8 SH3 domain-binding protein, Eps8-binding protein,
	Nap1-binding protein, Spectrin SH3 domain-binding protein 1, ABI1
	Background: May act in negative regulation of cell growth and transformation by interacting
	with nonreceptor tyrosine kinases ABL1 and/or ABL2. May play a role in regulation of EGF-
	induced Erk pathway activation. Involved in cytoskeletal reorganization and EGFR signaling.
	Together with EPS8 participates in transduction of signals from Ras to Rac. In vitro, a trimeric
	complex of ABI1, EPS8 and SOS1 exhibits Rac specific guanine nucleotide exchange factor
	(GEF) activity and ABI1 seems to act as an adapter in the complex. Regulates ABL1/c-Abl-
	mediated phosphorylation of ENAH. Recruits WASF1 to lamellipodia and there seems to
	regulate WASF1 protein level. In brain, seems to regulate the dendritic outgrowth and branching
	as well as to determine the shape and number of synaptic contacts of developing neurons.
Gene ID:	10006
UniProt:	Q8IZP0
Pathways:	RTK Signaling, Response to Water Deprivation, ER-Nucleus Signaling
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months