antibodies -online.com





anti-AICDA antibody (AA 101-198) (Alexa Fluor 350)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	AICDA
Binding Specificity:	AA 101-198
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AICDA antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human AICDA
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat
Purification:	Purified by Protein A.

Target Details

Target:	AICDA
Alternative Name:	AICDA (AICDA Products)
Background:	Synonyms: AID, ARP2, CDA2, HIGM2, HEL-S-284, Single-stranded DNA cytosine deaminase,

	Activation-induced cytidine deaminase, Cytidine aminohydrolase, AICDA
	Background: Single-stranded DNA-specific cytidine deaminase. Involved in somatic
	hypermutation, gene conversion, and class-switch recombination in B-lymphocytes. Required
	for several crucial steps of B-cell terminal differentiation necessary for efficient antibody
	responses. May also play a role in the epigenetic regulation of gene expression by participating
	in DNA demethylation.
Gene ID:	57379
UniProt:	Q9GZX7
Pathways:	Cellular Response to Molecule of Bacterial Origin, Regulation of Actin Filament Polymerization,
	Production of Molecular Mediator of Immune Response
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months