# antibodies .- online.com





# anti-ALOXE3 antibody (AA 141-240) (Alexa Fluor 488)



<i>ا</i> ۱	ve	K / /	101	Α .
	$\vee$	1 \/	╙	/\/

Quantity:	100 μL	
Target:	ALOXE3	
Binding Specificity:	AA 141-240	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ALOXE3 antibody is conjugated to Alexa Fluor 488	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human ALOXE3	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	ALOXE3
Alternative Name:	ALOXE3 (ALOXE3 Products)
Background:	Synonyms: ALOXE3, Arachidonate lipoxygenase 3, e LOX 3, E LOX, e-LOX-3, eLOX3, Epidermal

lipoxygenase, Epidermis-type lipoxygenase 3, Lipoxygenase 3, LOXE3_HUMAN.
Background: Introduces molecular oxygen into polyunsaturated fatty acids. Exact substrate is
not known. Tissue specificity: Predominantly expressed in skin. Involvement in disease Defects in
ALOXE3 are a cause of non-bullous congenital ichthyosiform erythroderma (NCIE). NCIE is a
non-bullous ichthyosis, a skin disorder characterized by abnormal cornification of the
epidermis. Most affected individuals are born with a tight, shiny, translucent covering called
collodion membrane. The collodion membrane subsequently evolves into generalized scaling
and intense redness of the skin. Clinical features are milder than in lamellar ichthyoses and
demonstrate a greater variability in the intensity of erythema, size and type of scales. In
contrast to lamellar ichthyoses, scales are usually white, fine and powdery, and palms and
soles are severely affected. Patients suffer from palmoplantar keratoderma, often with painful
fissures, digital contractures, and loss of pulp volume.

Gene ID: 59344

Pathways: Cell-Cell Junction Organization

### **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

1	1 11	١٠
$\vdash$	land	∥n∩
	ıarıa	

Expiry Date:

12 months