# antibodies -online.com





## anti-ANKRD11 antibody (AA 731-820) (HRP)



#### Overview

Quantity:	100 μL
Target:	ANKRD11
Binding Specificity:	AA 731-820
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ANKRD11 antibody is conjugated to HRP
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ANKRD11
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Horse
Purification:	Purified by Protein A.

### Target Details

Target:	ANKRD11
Alternative Name:	ANKRD11 (ANKRD11 Products)

### **Target Details**

raiget Details	
Background:	Synonyms: ANCO 1, ANCO1, Ankyrin repeat containing cofactor 1, Ankyrin repeat domain 11,
	Ankyrin repeat domain containing protein 11, LZ16, T13.
	Background: Ankyrin is a membrane protein that mediates the attachment of the erythrocyte
	membrane skeleton to the plasma membrane and interacts with CD44 and inositol
	triphosphate. It contains three functional domains: a conserved N-terminal ankyrin repeat
	domain (ARD(consisting of 2224 tandem repeats of 33 amino acids), a spectrin binding domain
	and a variably sized C-terminal regulatory domain. The ankyrin repeat is a 33-residue motif in
	proteins consisting of two alpha helices separated by loops. It has been studied using multiple
	sequence alignment to determine which conserved amino acid residues are critical for folding
	and stability. Ankyrin-repeat proteins have been associated with a number of human diseases,
	most notably, the cell cycle inhibitor p16 is associated with cancer and the Notch protein is a
	key component of cell signaling pathways whose intracellular repeat domain is disrupted in
	mutations that give rise to the neurological disorder known as CADASIL.
Gene ID:	29123
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish
	peroxidase.

-20 °C

Storage:

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months