Datasheet for ABIN883761 anti-ASB3 antibody (AA 21-120) (Cy5.5)

-online.com antibodies



\sim			
()	$\nabla \Delta$	r\/I	ew
\cup	VC	1 1 1	

Quantity:	100 µL	
Target:	ASB3	
Binding Specificity:	AA 21-120	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ASB3 antibody is conjugated to Cy5.5	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ASB3
lsotype:	lgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	ASB3
Alternative Name:	ASB3 (ASB3 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN883761 | 03/06/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Synonyms: Ankyrin repeat and SOCS box containing 3, Ankyrin repeat and SOCS box containing
	protein 3, Ankyrin repeat and SOCS box protein 3, ASB-3, ASB3, ASB3_HUMAN, Weakly similar
	to ankyrin brain variant 2.
	Background: Members of the suppressor of cytokine signaling (SOCS) family of proteins
	contain C-terminal regions of homology called the SOCS box, which serves to couple SOCS
	proteins and their binding partners with the elongin B and C complex. Serveral other families of
	proteins also contain SOCS boxes but differ from the SOCS proteins in the type of domain they
	contained upstream of the SOCS box. Four members of the ankyrin repeat and SOCS box-
	containing (ASB) protein family are identified and termed as ASB-1, ASB-2, ASB-3 and ASB-4.
	ASB-1 is expressed in multiple organs, including the hematopoietic compartment. ASB-1 knock-
	out mice display a diminution of spermatogenesis with less complete filling of seminiferous
	tubules. Asb-2 is a novel retinoic-acid (RA)-induced gene in acute promyelocytic leukemia (APL)
	cells and its expression induces growth-inhibition and chromatin condensation recapitulating
	early events critical to RA-induced differentiaiton of APL cells. ASB-2 is directly induced by all-
	trans retinotic acid, by the binding of RARa to the RAR binding element/RXR binding element in
	the Asb-2 promoter.
Gene ID:	51130
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN883761 | 03/06/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months