antibodies .- online.com





Datasheet for ABIN883812

anti-ASMT antibody (Cy7)



Go to Product page

| \sim | | | | | |
|--------|-----|----|-----|-------------|----|
| | 1/6 | ⊃r | 1// | \triangle | ٨/ |

Alternative Name:

| Quantity: | 100 μL | |
|-----------------------|--|--|
| Target: | ASMT | |
| Reactivity: | Human, Mouse, Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This ASMT antibody is conjugated to Cy7 | |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |
| Product Details | | |
| Immunogen: | KLH conjugated synthetic peptide derived from human Acetylserotonin O-methyltransferase (ASMT) | |
| Isotype: | IgG | |
| Cross-Reactivity: | Rat, Sheep | |
| Predicted Reactivity: | Human,Mouse,Dog,Cow,Horse | |
| Purification: | Purified by Protein A. | |
| Target Details | | |
| Target: | ASMT | |
| | | |

Asmt (ASMT Products)

Target Details

| Background: | Synonyms: Acetylserotonin O-methyltransferase, ASMT, ASMTY, HIOMT, HIOMTY, |
|-------------|--|
| | Hydroxyindole O-methyltransferase. |
| | Background: This gene belongs to the methyltransferase superfamily, and is located in the |
| | pseudoautosomal region (PAR) at the end of the short arms of the X and Y chromosomes. The |
| | encoded enzyme catalyzes the final reaction in the synthesis of melatonin, and is abundant in |
| | the pineal gland. Alternatively spliced transcript variants have been noted for this gene. Isoform |
| | 1 catalyzes the transfer of a methyl group onto N-acetylserotonin, producing melatonin (N- |
| | acetyl-5-methoxytryptamine). Isoform 2 and isoform 3 lack enzyme activity |
| Gene ID: | 438 |
| l laiDaat. | DAC 507 |

| UniProt: | P46597 | |
|---------------------|--|--|
| Application Details | | |
| Application Notes: | IF(IHC-P)(1:50-200) | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which | |

should be handled by trained staff only.

-20 °C

12 months

Storage:

Expiry Date:

Storage Comment:

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.