

#### Datasheet for ABIN884434

# anti-BAG5 antibody (AA 101-200) (AbBy Fluor® 488)



Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity	100 ul
Quantity:	100 μL
Target:	BAG5
Binding Specificity:	AA 101-200
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAG5 antibody is conjugated to AbBy Fluor® 488
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human BAG5	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Chicken	
Purification:	Purified by Protein A.	

## Target Details

Target:	BAG5
Alternative Name:	BAG5 (BAG5 Products)

### **Target Details**

	Synonyms: BAG family molecular chaperone regulator 5, BAG 5, BAG-5, BCL2 associated		
	athanogene 5, KIAA0873, BAG5_HUMAN.		
	Background: BAG5 is a member of the BAG1 related protein family. BAG1 is an anti apoptotic		
	protein that functions through interactions with a variety of cell apoptosis and growth related		
	proteins including BCL 2, Raf protein kinase, steroid hormone receptors, growth factor		
	receptors and members of the heat shock protein 70 kDa family. A BAG domain near the C		
	terminus, may bind and inhibit the chaperone activity of Hsc70/Hsp70. It has been		
	hypothesized that the BAG5 protein will induce the death of nigral neurons through its predicted		
	interaction with hsp70, which will cause increased protein aggregation and cell death by		
	disinhibition of hsp70?s anti apoptotic function. It is believed that BAG5 will play an important		
	role in the mechanisms of neuronal death. BAG5 may also be of interest due to its possible role		
	as a modulator of the hsp70/hsp40 chaperone axis or its possible interaction and coordination		
	of localization/modulation of other BAG containing proteins via BAG-BAGheterodimerization.		
Gene ID:	9529		
Pathways:	SARS-CoV-2 Protein Interactome		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Handling Format:	Liquid		
	Liquid 1 µg/µL		
Format:			
Format:  Concentration:	1 μg/μL		
Format:  Concentration:	1 μg/μL  Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
Format:  Concentration:  Buffer:	1 μg/μL Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Format:  Concentration:  Buffer:  Preservative:	1 μg/μL  Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.  ProClin		
Format:  Concentration:  Buffer:  Preservative:	1 μg/μL  Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.  ProClin  This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
Format:  Concentration:  Buffer:  Preservative:  Precaution of Use:	1 μg/μL  Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.  ProClin  This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		

$\vdash$	land	lına
	iaria	шц

Expiry Date:

12 months