antibodies -online.com





anti-BCCIP antibody (AA 75-180) (Alexa Fluor 555)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	BCCIP
Binding Specificity:	AA 75-180
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BCCIP antibody is conjugated to Alexa Fluor 555
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human BCCIP/TOK1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	BCCIP	
Alternative Name:	BCCIP (BCCIP Products)	
Background:	ground: Synonyms: bccip, BCCIP_HUMAN, BCCIPalpha, BCCIPbeta, BRCA2 and CDKN1A interacting	

Target Details	
	protein, BRCA2 and CDKN1A-interacting protein, BRCA2 and Cip1/p21 interacting protein, Cdk inhibitor p21 binding protein, P21 and CDK associated protein 1, P21- and CDK-associated protein 1, Protein TOK-1, Protein TOK1, TOK 1, TOK 1alpha, TOK 1beta, TOK1. Background: FunctionMay promote cell cycle arrest by enhancing the inhibition of CDK2 activity by CDKN1A. May be required for repair of DNA damage by homologous recombination in conjunction with BRCA2. May not be involved in non-homologous end joining.
Gene ID:	56647
Application Details	
Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

C В 50 % Glycerol. ProClin Preservative: Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.