antibodies - online.com





Datasheet for ABIN885412

anti-CDCA8 antibody (AA 20-120) (Alexa Fluor 350)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	CDCA8	
Binding Specificity:	AA 20-120	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CDCA8 antibody is conjugated to Alexa Fluor 350	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Borealin/CDCA8	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Cow,Horse,Bee,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	CDCA8
Alternative Name:	CDCA8 (CDCA8 Products)

Target Details

Background:	Synonyms: BOR, BOREA_HUMAN, Borealin, CDCA8, Cell division cycle associated 8, Cell division	
	cycle-associated protein 8, Dasra B, Dasra-B, DasraB, FLJ10468, FLJ12042, hDasra-B, MESRGP,	
	OTTHUMP0000004514, Pluripotent embryonic stem cell-related gene 3 protein.	
	Background: Component of the chromosomal passenger complex (CPC), a complex that acts	
	as a key regulator of mitosis. The CPC complex has essential functions at the centromere in	
	ensuring correct chromosome alignment and segregation and is required for chromatin-	
	induced microtubule stabilization and spindle assembly. In the complex, it may be required to	
	direct the CPC to centromeric DNA. Major effector of the TTK kinase in the control of	
	attachment-error-correction and chromosome alignment.	
Gene ID:	55143	
Pathways:	Cell Division Cycle, M Phase	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	