



[Go to Product page](#)

Datasheet for ABIN885576
anti-BRSK1 antibody (AA 101-200) (Biotin)

Overview

Quantity:	100 µL
Target:	BRSK1
Binding Specificity:	AA 101-200
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BRSK1 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human BRSK1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	BRSK1
Alternative Name:	BRSK1 (BRSK1 Products)

Target Details

Background: Synonyms: BR serine/threonine kinase 1, BR serine/threonine protein kinase 1, BR serine/threonine-protein kinase 1, Brain-specific serine/threonine-protein kinase 1, BRSK 1, Brsk1, BRSK1_HUMAN, Protein kinase SAD1A, SAD 1, SAD1, SAD1 kinase, SAD1A, SADB, SadB kinase short isoform, Serine/threonine kinase SAD B, Serine/threonine-protein kinase SAD-B, Synapses of Amphids Defective homolog, FLJ43009, KIAA1811.

Background: Required for the polarization of forebrain neurons which endows axons and dendrites with distinct properties, possibly by locally regulating phosphorylation of microtubule-associated proteins (By similarity). May be involved in the regulation of G2/M arrest in response to UV- or methyl methane sulfonate (MMS)-induced, but not IR-induced, DNA damage. Phosphorylates WEE1 and CDC25B in vitro and CDC25C in vitro and in vivo. Tissue specificity: Widely expressed, with highest levels in brain and testis. Protein levels remain constant throughout the cell cycle.

Gene ID: 84446

Application Details

Application Notes: IHC-P 1:200-400
IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C for 12 months.

Expiry Date: 12 months