# antibodies -online.com





## anti-CA7 antibody (AA 86-150) (Alexa Fluor 350)



Go to Product page

( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL	
Target:	CA7	
Binding Specificity:	AA 86-150	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CA7 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human CA7	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse,Rabbit	
Purification:	Purified by Protein A.	

### **Target Details**

Target:	CA7
Alternative Name:	CA7 (CA7 Products)

## Target Details

Synonyms: CA 7, CA VII, CA-VII, Ca7, CAH7_HUMAN, Car7, Carbonate dehydratase VII, Carbonic	
anhydrase 7, Carbonic anhydrase VII, Carbonic dehydratase, CAVII.	
Background: Carbonic anhydrases are a large family of zincmetalloenzymes that catalyze the	
reversible hydration of carbondioxide. They participate in a variety of biological	
processes,including respiration, calcification, acid-base balance, boneresorption, and the	
formation of aqueous humor, cerebrospinalfluid, saliva, and gastric acid. They show extensive	
diversity intissue distribution and in their subcellular localization. Thecytosolic protein encoded	
by this gene is predominantly expressedin the salivary glands. Alternative splicing in the coding	
regionresults in multiple transcript variants encoding differentisoforms. [provided by RefSeq,	
Jul 2008].	
766	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
12 months	