antibodies - online.com







anti-NCAPD2 antibody (AA 1101-1300) (Biotin)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	NCAPD2
Binding Specificity:	AA 1101-1300
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCAPD2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CAPD2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	NCAPD2
Alternative Name:	CAPD2 (NCAPD2 Products)

Target Details

. a. got 2 otalio		
Background:	Synonyms: CAPD2, Chromosome condensation-related SMC-associated protein 1,	
	Chromosome-associated protein D2, CND1, Condensin, hCAP-D2, hCAPD2, CND1_HUMAN.	
	Background: CAPD2 is a regulatory subunit of the condensin complex, a complex required for	
	conversion of interphase chromatin into mitotic-like condensed chromosomes. The condensin	
	complex probably introduces positive supercoils into relaxed DNA in the presence of type I	
	topoisomerases and converts nicked DNA into positive knotted forms in the presence of type II	
	topoisomerases. It may target the condensin complex to DNA via its C-terminal domain	
	(referenced from Swissprot).	
Gene ID:	9918	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	