antibodies -online.com





anti-CARD14 antibody (AA 1-100) (HRP)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	CARD14
Binding Specificity:	AA 1-100
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CARD14 antibody is conjugated to HRP
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CARD14
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	CARD14
Alternative Name:	CARD14 (CARD14 Products)

Target Details

rai got Botano		
Background:	Synonyms: Bcl10 interacting MAGUK protein 2, Bimp 2, Bimp2, CARD 14, CARD containing	
	MAGUK 2 protein, CARD containing MAGUK protein 2, Card maguk protein 2, Carma 2, Carma 2	
	Caspase recruitment domain containing protein 14, Caspase recruitment domain family	
	member 14, Caspase recruitment domain protein 14, CAR14_HUMAN.	
	Background: The protein encoded by this gene belongs to the membrane-associated guanylate	
	kinase (MAGUK) family, a class of proteins that functions as molecular scaffolds for the	
	assembly of multiprotein complexes at specialized regions of the plasma membrane. This	
	protein is also a member of the CARD protein family, which is defined by carrying a	
	characteristic caspase-associated recruitment domain (CARD). This protein shares a similar	
	domain structure with CARD11 protein. The CARD domains of both proteins have been shown	
	to specifically interact with BCL10, a protein known to function as a positive regulator of cell	
	apoptosis and NF-kappaB activation. When expressed in cells, this protein activated NF-kappaB	
	and induced the phosphorylation of BCL10. Two alternatively spliced variants of this gene	
	encoding distinct isoforms have been reported.	
Gene ID:	79092	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish	

peroxidase.

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months