

Datasheet for ABIN887181

anti-CCDC134 antibody (AA 11-120) (HRP)



Overview

Alternative Name:

Quantity:	100 μL
Target:	CCDC134
Binding Specificity:	AA 11-120
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC134 antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry
	(Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human CCDC134
Isotype:	IgG
Cross-Reactivity:	Mouse
Cross-Reactivity: Predicted Reactivity:	Mouse Human,Rat,Dog,Cow,Horse
Predicted Reactivity:	Human,Rat,Dog,Cow,Horse

CCDC134 (CCDC134 Products)

Target Details

Background:	Synonyms: CC134_HUMAN, ccdc134, coiled-coil domain containing 134, Coiled-coil domain-
	containing protein 134, dJ821D11.3, FLJ22349, MGC21013.
	Background: Chromosome 22 contains over 500 genes and about 49 million bases. Being the
	second smallest human chromosome, 22 contains a surprising variety of interesting genes.
	Phelan-McDermid syndrome, Neurofibromatosis type 2 and autism are associated with
	chromosome 22. A schizophrenia susceptibility locus has been identified on chromosome 22
	and studies show that 22q11 deletion symptoms include a high incidence of schizophrenia.
	Translocations between chromosomes 9 and 22 may lead to the formation of the Philadelphia
	Chromosome and the subsequent production of the novel fusion protein, BCR-Abl, a potent cell
	proliferation activator found in several types of leukemia. CCDC134 (coiled-coil domain
	containing 134), also known as MGC21013 or FLJ22349, is a 229 amino acid protein encoded
	by a gene mapping to human chromosome 22.
Gene ID:	79879
Application Details	
Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish
	peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months