antibodies .- online.com







anti-CCNDBP1 antibody (AA 281-360) (Biotin)



()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	CCNDBP1
Binding Specificity:	AA 281-360
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCNDBP1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CCNDBP1	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	CCNDBP1
Alternative Name:	CCNDBP1 (CCNDBP1 Products)
Background: Synonyms: Maternal inhibition of dferentiation, SECC 8, SSEC 8, CCDB1_HUMAN, CCNDE	

Ccndbp1, Cyclin D type binding protein 1, Cyclin-D1-binding protein 1, D type cyclin interacting protein 1, DIP 1, DIP1, GCIP, Grap 2 and cyclin D interacting protein, Grap 2 cyclin D interacting protein GCIP, Grap 2 cyclin interacting protein, Grap2 and cyclin D interacting protein, Grap2 and cyclin-D-interacting protein, Grap2 cyclin D interacting protein GCIP, Grap2 cyclin interacting protein, HHM protein, Human homolog of Maid, MAID, MAID protein, Stage specic embryonic cDNA 8.

Background: May negatively regulate cell cycle progression. May act at least in part via inhibition of the cyclin-D1/CDK4 complex, thereby preventing phosphorylation of RB1 and blocking E2F-dependent transcription. Tissue specificity: Ubiquitously expressed. Expression is down-regulated in a variety of tumor types including breast, colon, prostate and rectal tumors, and is up-regulated in certain hepatic carcinomas.

Gene ID:

23582

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months