antibodies -online.com





anti-CDC14B antibody (AA 65-160) (Biotin)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	CDC14B
Binding Specificity:	AA 65-160
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDC14B antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CDC14B	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	CDC14B
Alternative Name:	CDC14B (CDC14B Products)

Target Details

Background:	Synonyms: CDC14B3, Cdc14B1, Cdc14B2, hCDC14B, Dual specificity protein phosphatase		
	CDC14B, CDC14 cell division cycle 14 homolog B, CDC14B		
	Background: Dual-specificity phosphatase involved in DNA damage response. Essential		
	regulator of the G2 DNA damage checkpoint: following DNA damage, translocates to the		
	nucleus and dephosphorylates FZR1/CDH1, a key activator of the anaphase promoting		
	complex/cyclosome (APC/C). Dephosphorylates SIRT2 around early anaphase.		
	Dephosphorylation of FZR1/CDH1 activates the APC/C, leading to the ubiquitination of PLK1,		
	preventing entry into mitosis. Preferentially dephosphorylates proteins modified by proline-		
	directed kinases.		
Gene ID:	8555		
UniProt:	060729		
Application Details			
Application Notes:	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C for 12 months.		
Expiry Date:	12 months		