antibodies -online.com





anti-Septin 5 antibody (AA 21-120) (Alexa Fluor 488)



Go to Product page

\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	Septin 5 (SEPT5)
Binding Specificity:	AA 21-120
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Septin 5 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CDCREL/SEPT5
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	Septin 5 (SEPT5)
Alternative Name:	Septin5 (SEPT5 Products)

Target Details

Background:	Synonyms: 5 Sep, CDCrel 1, CDCREL, CDCrel-1, CDCREL1, Cell division control related protein 1,
	Cell division control-related protein 1, H5 antibody HCDCREL 1, Peanut like 1, Peanut like 1
	homolog, Peanut like protein 1, Peanut-like protein 1, Platelet glycoprotein Ib beta chain,
	PNUTL1, SEPT5, SEPT-5, SEPT 5, SEPT5_HUMAN, Septin 5, Septin5, Septin-5.
	Background: This gene is a member of the septin gene family of nucleotide binding proteins,
	originally described in yeast as cell division cycle regulatory proteins. Septins are highly
	conserved in yeast, Drosophila, and mouse and appear to regulate cytoskeletal organization.
	Disruption of septin function disturbs cytokinesis and results in large multinucleate or polyploid
	cells. This gene is mapped to 22q11, the region frequently deleted in DiGeorge and
	velocardiofacial syndromes. A translocation involving the MLL gene and this gene has also
	been reported in patients with acute myeloid leukemia. Alternative splicing results in multiple
	transcript variants. The presence of a non-consensus polyA signal (AACAAT) in this gene also
	results in read-through transcription into the downstream neighboring gene (GP1BB, platelet
	glycoprotein lb), whereby larger, non-coding transcripts are produced. [provided by RefSeq, Dec
	2010].
Gene ID:	5413
UniProt:	Q99719
Pathways:	Synaptic Vesicle Exocytosis
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months