antibodies .-online.com

Datasheet for ABIN889758 anti-CDK2AP2 antibody (AA 75-126) (Cy5.5)



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | CDK2AP2 |
| Binding Specificity: | AA 75-126 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CDK2AP2 antibody is conjugated to Cy5.5 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human CDK2AP2 |
|-----------------------|---|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Chicken |
| Purification: | Purified by Protein A. |

Target Details

| Target: | CDK2AP2 |
|-------------------|---|
| Alternative Name: | CDK2AP2 (CDK2AP2 Products) |
| Background: | Synonyms: CDK2 associated protein 2, CDK2-associated protein 2, CDK2AP2, CDKA2_HUMAN, |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN889758 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

| | Cyclin dependent kinase 2 associated protein 2, Cyclin-dependent kinase 2-associated protein |
|---|--|
| | 2, DOC 1 related protein, DOC-1-related protein, DOC-1R, DOC1R, FLJ10636, p14, tumor |
| | suppressor deleted in oral cancer related 1. |
| | Background: This gene encodes a protein that interacts with cyclin-dependent kinase 2 |
| | associated protein 1. Pseudogenes associated with this gene are located on chromosomes 7 |
| | and 9. Alternatively spliced transcript variants have been observed for this gene. [provided by |
| | RefSeq, Dec 2012]. |
| Gene ID: | 10263 |
| Pathways: | PI3K-Akt Signaling, Cell Division Cycle, Mitotic G1-G1/S Phases, DNA Replication, M Phase, |
| | Synthesis of DNA |
| Application Details | |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| | |
| Handling | |
| Handling Format: | Liquid |
| | Liquid 1 µg/µL |
| Format: | |
| Format: Concentration: | 1 μg/μL |
| Format: Concentration: | 1 μg/μL Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| Format: Concentration: Buffer: | 1 μg/μL Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Format: Concentration: Buffer: Preservative: | 1 μg/μL Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. ProClin |
| Format: Concentration: Buffer: Preservative: | 1 μg/μL Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. ProClin This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| Format: Concentration: Buffer: Preservative: Precaution of Use: | 1 μg/μL Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. ProClin This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |