antibodies -online.com





anti-CEACAM16 antibody (AA 201-300) (FITC)



Go to Product page

()	11/0	K\ /	iew
	\cup	'I V/I	$I \cap VV$

Quantity:	100 μL
Target:	CEACAM16
Binding Specificity:	AA 201-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CEACAM16 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CEACAM16	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	CEACAM16
Alternative Name:	CEACAM16 (CEACAM16 Products)
Background: Synonyms: Carcinoembryonic antigen like 2, Carcinoembryonic antigen like 2 protein,	

Carcinoembryonic antigen related cell adhesion molecule 16, CEAL2, CEA16_HUMAN.		
Background: The protein encoded by this gene is a secreted glycoprotein that in mouse		
interacts with tectorial membrane proteins in the inner ear. The encoded adhesion protein is		
found in cochlear outer hair cells and appears to be important for proper hearing over an		
extended frequency range. Defects in this gene likely are a cause of non-syndromic autosomal		
dominant hearing loss. [provided by RefSeq, May 2012].		

Gene ID: 388551

Pathways: Sensory Perception of Sound

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months