

Datasheet for ABIN890949

Target:

Alternative Name:

anti-PLEKHO1 antibody (AA 51-170) (AbBy Fluor® 555)



Go to Product page

| Overview | | | |
|-----------------------|---|--|--|
| Quantity: | 100 μL | | |
| Target: | PLEKH01 | | |
| Binding Specificity: | AA 51-170 | | |
| Reactivity: | Human, Mouse | | |
| Host: | Rabbit | | |
| Clonality: | Polyclonal | | |
| Conjugate: | This PLEKHO1 antibody is conjugated to AbBy Fluor® 555 | | |
| Application: | Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | | |
| Product Details | | | |
| Immunogen: | KLH conjugated synthetic peptide derived from human CKIP-1 | | |
| Isotype: | IgG | | |
| Cross-Reactivity: | Human, Mouse | | |
| Predicted Reactivity: | Rat | | |
| Purification: | Purified by Protein A. | | |
| Target Details | | | |
| | | | |

PLEKH01

CKIP-1 (PLEKHO1 Products)

Target Details

| Background: | Synonyms: Pleckstrin homology domain-containing family 0 member 1, PH domain-containing | | |
|---------------------|--|--|--|
| | family 0 member 1, C-Jun-binding protein, JBP, Casein kinase 2-interacting protein 1, CK2- | | |
| | interacting protein 1, CKIP-1, Osteoclast maturation-associated gene 120 protein, PLEKHO1, | | |
| | CKIP1, OC120, HQ0024C | | |
| | Background: Plays a role in the regulation of the actin cytoskeleton through its interactions with | | |
| | actin capping protein (CP). May function to target CK2 to the plasma membrane thereby | | |
| | serving as an adapter to facilitate the phosphorylation of CP by protein kinase 2 (CK2). Appears | | |
| | to target ATM to the plasma membrane. Appears to also inhibit tumor cell growth by inhibiting | | |
| | AKT-mediated cell-survival. Also implicated in PI3K-regulated muscle differentiation, the | | |
| | regulation of AP-1 activity (plasma membrane bound AP-1 regulator that translocates to the | | |
| | nucleus) and the promotion of apoptosis induced by tumor necrosis factor TNF. When bound | | |
| | to PKB, it inhibits it probably by decreasing PKB level of phosphorylation. | | |
| Gene ID: | 51177 | | |
| UniProt: | Q53GL0 | | |
| Application Details | | | |
| Application Notes: | FCM 1:20-100 | | |
| | IF(IHC-P) 1:50-200 | | |
| | IF(IHC-F) 1:50-200 | | |
| | IF(ICC) 1:50-200 | | |
| Restrictions: | For Research Use only | | |
| Handling | | | |
| Format: | Liquid | | |
| Concentration: | 1 μg/μL | | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | | |
| | 50 % Glycerol. | | |
| Preservative: | ProClin | | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | | |
| | handled by trained staff only. | | |
| Storage: | -20 °C | | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | | |
| | | | |

| | | 1. | |
|----------|-------|------|---|
| \vdash | land | lın | |
| | ıaııu | 1111 | U |
| | | | |

Expiry Date:

12 months