# antibodies -online.com





# anti-PLEKHO1 antibody (AA 51-170) (Alexa Fluor 488)



Go to Product page

$\sim$			
	$  \vee   \cap$	r\/I	$\Theta M$

Quantity:	100 μL
Target:	PLEKH01
Binding Specificity:	AA 51-170
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLEKHO1 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human CKIP-1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat	
Purification:	Purified by Protein A.	

## Target Details

Target:	PLEKH01
Alternative Name:	CKIP-1 (PLEKHO1 Products)

## **Target Details**

Background:	Synonyms: Pleckstrin homology domain-containing family 0 member 1, PH domain-containing		
	family 0 member 1, C-Jun-binding protein, JBP, Casein kinase 2-interacting protein 1, CK2-		
	interacting protein 1, CKIP-1, Osteoclast maturation-associated gene 120 protein, PLEKHO1,		
	CKIP1, OC120, HQ0024C		
	Background: Plays a role in the regulation of the actin cytoskeleton through its interactions with		
	actin capping protein (CP). May function to target CK2 to the plasma membrane thereby		
	serving as an adapter to facilitate the phosphorylation of CP by protein kinase 2 (CK2). Appears		
	to target ATM to the plasma membrane. Appears to also inhibit tumor cell growth by inhibiting		
	AKT-mediated cell-survival. Also implicated in PI3K-regulated muscle differentiation, the		
	regulation of AP-1 activity (plasma membrane bound AP-1 regulator that translocates to the		
	nucleus) and the promotion of apoptosis induced by tumor necrosis factor TNF. When bound		
	to PKB, it inhibits it probably by decreasing PKB level of phosphorylation.		
Gene ID:	51177		
UniProt:	Q53GL0		
Application Details			
Application Notes:	FCM 1:20-100		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months