Datasheet for ABIN891287 anti-CLK2 antibody (AA 401-499) (Cy3)

-online.com antibodies



~	
$() \vee \Box$	rview
Ove	

Quantity:	100 µL
Target:	CLK2
Binding Specificity:	AA 401-499
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLK2 antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CLK2
Isotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	CLK2
Alternative Name:	CLK2 (CLK2 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN891287 | 03/06/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	<ul> <li>Synonyms: CDC like kinase 2, CLK 2, CLK kinase, Clk2 Scamp3, Dual specicity protein kinase</li> <li>CLK2, hCLK 2, hCLK2, MGC61500, Tu52, CLK2_HUMAN.</li> <li>Background: CDC-like kinase 2 (CLK2) belongs to a family of autophosphorylating kinases</li> <li>termed CLK (CDC2/CDC28-like kinases), which have been shown to phosphorylate serine- and</li> <li>arginine-rich (SR) proteins of the spliceosomal complex, and to influence alternative splicing in</li> <li>overexpression systems. Recent findings demonstrated that the CLK kinases activate PTP-1B</li> <li>family members, and this phosphatase may be an important cellular target for CLK action.</li> <li>Mutations in the CLK2 proteins affect organismal features such as development, behavior,</li> <li>reproduction, and aging as well as cellular features such as the cell cycle, apoptosis, the DNA</li> <li>replication checkpoint, and telomere length.</li> </ul>
Gene ID:	1196
Pathways:	Regulation of Carbohydrate Metabolic Process
Application Details	
Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN891287 | 03/06/2024 | Copyright antibodies-online. All rights reserved.