# antibodies -online.com





# anti-COMMD10 antibody (AA 91-190) (HRP)



Go to Product page

_			
$\cup$	)ve	rvi	ew

Quantity:	100 μL
Target:	COMMD10
Binding Specificity:	AA 91-190
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This COMMD10 antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human COMMD10
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	COMMD10
Alternative Name:	COMMD10 (COMMD10 Products)

## Target Details

Background:	Synonyms: COMM domain containing 10, COMMD 10, FLJ11285, HGNC:30201, HSPC305,		
	PTD002.		
	Background: COMMD or COMM is a new family of proteins with homology to MURR1, a		
	multifunctional protein that inhibits NFkB. These proteins form multimeric complexes and were		
	identified in a biochemical screen for MURR1-associated factors. The family is defined by the		
	presence of a conserved and unique motif termed the COMM (copper metabolism gene		
	MURR1) domain, which functions as an interface for protein-protein interactions. The proteins		
	designated as COMMD or COMM domain containing 1-10 are extensively conserved in		
	multicellular eukaryotic organisms and define a novel family of structural and functional		
	homologs of MURR1. The prototype of this family, MURR1/COMMD1, suppresses NFkB not by		
	affecting nuclear translocation or binding of NF-kappaB to cognate motifs, rather, it functions in		
	the nucleus by affecting the association of NF-kappaB with chromatin.		
Gene ID:	51397		
Application Details			
Application Notes:	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish		
	peroxidase.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

Н	and	lin	C

Expiry Date:

12 months