# antibodies -online.com





# anti-COX5A antibody (AA 41-150) (Biotin)



_		
( )Ver	view	

Quantity:	100 μL	
Target:	COX5A	
Binding Specificity:	AA 41-150	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This COX5A antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human COX5A	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Horse,Chicken	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	COX5A
Alternative Name:	COX5A (COX5A Products)
Background:	Synonyms: COX, COX VA, COX5A, COX5A_HUMAN, Cytochrome c oxidase polypeptide Va,

Cytochrome c oxidase polypeptide, mitochondrial, Cytochrome c oxidase subunit 5A, Cytochrome c oxidase subunit 5A, mitochondrial, mitochondrial, Mitochondrial cytochrome c oxidase subunit Va, VA.

Background: Cytochrome c oxidase (COX) is the terminal enzyme of the mitochondrial respiratory chain. It is a multi-subunit enzyme complex that couples the transfer of electrons from cytochrome c to molecular oxygen and contributes to a proton electrochemical gradient across the inner mitochondrial membrane. The complex consists of 13 mitochondrial- and nuclear-encoded subunits. The mitochondrially-encoded subunits perform the electron transfer of proton pumping activities. The functions of the nuclear-encoded subunits are unknown but they may play a role in the regulation and assembly of the complex. This gene encodes the nuclear-encoded subunit Va of the human mitochondrial respiratory chain enzyme. A pseudogene COX5AP1 has been found in chromosome 14q22. [provided by RefSeq, Jul 2008].

Gene ID: 9377

Pathways: Proton Transport

#### **Application Details**

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.

$\vdash$	land	linc
	iaria	11116

Expiry Date:

12 months