# antibodies -online.com





# anti-Cytochrome P450, Family 2, Subfamily J, Polypeptide 3 (CYP2J3) (AA 401-502) antibody (Alexa Fluor 647)



Go to Product page

( )	1 /	0	rv	/ 1 /	71	Α.
	1//	$\vdash$	1 \/	16		1/1/
$\sim$	v	$\sim$	1 V	١,	_	v v

Quantity:	100 μL
Target:	Cytochrome P450, Family 2, Subfamily J, Polypeptide 3 (CYP2J3)
Binding Specificity:	AA 401-502
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Cyp2-j3	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	Cytochrome P450, Family 2, Subfamily J, Polypeptide 3 (CYP2J3)	
Alternative Name:	Cyp2-j3 (CYP2J3 Products)	
Background:	Synonyms: CPJ2, Cytochrome P450 2J2, Arachidonic acid epoxygenase, CYPIIJ2, CYP2J2	

## Target Details

	Background: This enzyme metabolizes arachidonic acid predominantly via a NADPH-depende	
	olefin epoxidation to all four regioisomeric cis-epoxyeicosatrienoic acids. One of the	
	predominant enzymes responsible for the epoxidation of endogenous cardiac arachidonic acid	
	pools.	
Molecular Weight:	55kDa	
Gene ID:	1573	
UniProt:	P51589	

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

# Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months