

## Datasheet for ABIN893426

## anti-DAP antibody (AA 61-102) (HRP)



## Overview

Alternative Name:

| Quantity:             | 100 μL   |
|-----------------------|--|
| Target:               | DAP  |
| Binding Specificity:  | AA 61-102  |
| Reactivity:           | Human, Rat   |
| Host:                 | Rabbit   |
| Clonality:            | Polyclonal   |
| Conjugate:            | This DAP antibody is conjugated to HRP   |
| Application:          | ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |
| Product Details       |  |
| Immunogen:            | KLH conjugated synthetic peptide derived from human DAP1   |
| Isotype:              | IgG  |
| Cross-Reactivity:     | Human, Rat   |
| Predicted Reactivity: | Mouse,Dog,Cow,Sheep,Pig,Horse  |
| Purification:         | Purified by Protein A.   |
| Target Details        |  |
| Target:               | DAP  |
|                       |  |

DAP1 (DAP Products)

## **Target Details**

| rarget Details      |  |
|---------------------|--|
| Background:         | Synonyms: DAP 1, DAP, DAP-1, DAP1_HUMAN, Death associated protein 1, Death associated protein, Death-associated protein 1.  Background: his gene encodes a basic, proline-rich, 15-kD protein. The protein acts as a positive mediator of programmed cell death that is induced by interferon-gamma. |
| Gene ID:            | 7341   |
| Pathways:           | Positive Regulation of Endopeptidase Activity, Feeding Behaviour   |
| Application Details |  |
| Application Notes:  | IHC-P 1:200-400<br>IHC-F 1:100-500   |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Format:             | Liquid   |
| Concentration:      | 1 μg/μL  |
| Buffer:             | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.   |
| Preservative:       | ProClin  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.   |
| Handling Advice:    | Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.   |
| Storage:            | -20 °C   |
| Storage Comment:    | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.  |
| Expiry Date:        | 12 months  |