# antibodies -online.com





Datasheet for ABIN894248

## anti-DOCK1 antibody (AA 465-550) (Alexa Fluor 647)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	DOCK1
Binding Specificity:	AA 465-550
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DOCK1 antibody is conjugated to Alexa Fluor 647
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DOCK1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.

#### **Target Details**

Target:	DOCK1
Alternative Name:	DOCK1 (DOCK1 Products)

### **Target Details**

9		
Background:	Synonyms: 180 kDa protein downstream of CRK, Ced5, Dedicator of Cytokinesis 1, Dedicator of	
	cytokinesis protein 1, DOCK 1, DOCK-1, DOCK 180, DOCK1, DOCK1_HUMAN, DOCK180.	
	Background: Involved in cytoskeletal rearrangements required for phagocytosis of apoptotic	
	cells and cell motility. Functions as a guanine nucleotide exchange factor (GEF), which	
	activates Rac Rho small GTPases by exchanging bound GDP for free GTP. Its GEF activity may	
	be enhanced by ELMO1. Tissue specificity: Highly expressed in placenta, lung, kidney, pancreas	
	and ovary. Expressed at intermediate level in thymus, testes and colon.	
Gene ID:	1793	
Pathways:	Signaling of Hepatocyte Growth Factor Receptor	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	